8EHQ-0195-13313



PUBLIC COPY

January 25, 1995

TUIT

Express Mail - Return Receipt Requested

Document Processing Center (TS-790)
Attention: 8(e) Coordinator
Office of Pollution Prevention and Toxics
U.S. Environmental Protection Agency
401 M Street SW
Washington, D.C. 20460

COMPANY SANITIZED

8EHQ-45-13313

Dear 8(e) Coordinator:

BENZOHETEROCYCLE

This letter is to inform you of the results of an approximate lethal dose study in mice. The test material was administered once by gavage to male mice at dose levels of 12 to 670 mg/kg. Death occurred in the mouse dosed at 670 mg/kg. Clinical signs, including incoordination, barrel-rolling, low posture, and low carriage, were observed in this mouse and are detailed in the enclosed report. The test material appears to have an approximate lethal dose of 670 mg/kg.

Under these experimental conditions, the clinical signs described above would appear to be reportable, based upon EPA guidance regarding the reportability of such data under TSCA Sect. 8(e) criteria.

A copy of the final report is enclosed.

Sincerely,

nm 0/1/85

PUBLIC COPY

		7	•	
CBI Substantiation	ι			
Support for [] oclaimed as CBI is prov		usiness informat	tion for the informat	ion
 Confidential treatments on fidential until that t 		ed for ten years.	Information should	remain
2. No.				
3. [] identity second party [not otherwise disclose] under a nondis	closure (secrecy) agreement. [d to a] has
4. All documents rela access facilities and d [] having access [] proprietary/co	lesignated as propriet s to the information ar	ary, trade secrete contractually p	prohibited from disci	
5. No.		_		
6. Yes. [] I specifically know and time and expense to in []. [identity [competitor several year the R&D costs that it were several in the R&D costs that it were several in the R&D costs that it were several year the R&D costs that it were several year the R&D costs that it were several year than the R&D costs that the R&D costs that the R&D costs that the R&D costs that the	understand [dentify/ develop this o] believes that a] in ars advantage [] efforts and compound, thus competitor's knoteriest in this cor] and would	to forego the neces capitalizing on whedge of the chen mpound would give allow it to forego mu	sary nical a
7. a. No.				
b. Yes. The chemmixture [].	ical identity [] would, pote	entially, disclose pro	prietary
c. Yes. Disclosure	of [] would reve	al the identity an	d source of the [].

Oral Approximate Lethal Dose (ALD) Study with

The oral approximate lethal dose study with

was conducted in male mice. The study was conducted
according to Standard Operating Procedure No. SE113-P-001,

The test substance was suspended in Mazola® corn oil/acetone
(85:15) and administered by oral gavage to one male mouse each at dosages
of 12, 17, 26, 40, 60, 90, 130, 200, 300, 500, or 670 mg/kg. Experimental
details of the study are archived in Quality Assurance and in laboratory
notebook

Death occurred in the mouse dosed at 670 mg/kg. This mouse exhibited incoordination, ruffled fur, and yellow-stained perineum and had weight loss of approximately 10% of initial body weight by 2 days after dosing. No other clinical signs of toxicity were observed in this mouse until 11 days after dosing. Incoordination, barrel-rolling, low posture, and low carriage were present. Weight loss of approximately 27% of the previously determined body weight (8 days after dosing) was also observed. The mouse was found dead 12 days after dosing.

Weight loss of up to approximately 9% of initial body weight was observed up to 2 days after dosing in mice dosed at 26, 60, 90, 130, 200, or 500 mg/kg.

Under the conditions of this test, an approximate lethal dose for was 670 mg/kg. This substance is considered to be slightly toxic (ALD 500-5000 mg/kg) when administered as a single oral dose to male mice.

Issue date: 1/5/95

Triage of 8(e) Submissions

Date sent to triage:	APR	19 1995	NON	I-CAP	CAP	
Submission number: _	12313 A		TSC	A Inventory:	Y N (
Study type (circle app	ropriate):			7 - 91 - 11 - 11 - 11 - 11 - 11 - 11 - 1	49,000,000,000	
Group 1 - Dick Cleme	ents (1 copy tota	1)				
ECO	AQUATO					
Group 2 - Ernie Falke	(1 copy total)					
ANX	SBTOX	SEN	w/NEUR			
Group 3 - Elizabeth N	Margosches (1 c	opy each)				
STOX	стох	EPI	RTOX	GTOX		
STOX/ONCO	CTOX/ONCO	IMMUNO	CYTO	NEUR		
Other (FATE, EXPO, Motes: THIS IS THE ORIGINAL PROPERTY OF THE ORIGINA					DATABASE ENT	·RY
entire documer Notes: Contractor revi		For Contract pages 3	tor Use Only	pages/	; 3 ;-	

Σ
Z
Ç
-
2
Ĕ
Ż
ш
ď
Ş
m
DBASE
O
<u>z</u>
¥
Q
≥
F
ď
g
3
2
5
E
⋖
Ξ
Ü

WOLLINTARY ACTIONS: MOD STUDIES PLANNED TINDE, & A TOWN OWN OWN OF THE MED STUDIES PLANNED TINDE, & A TOWN OWN OWN OWN OWN OWN OWN OWN OWN OWN	INFORMATION TYPE: P. F. C. IMMUNO (ANIMAL) 01 02 04 IMMUNO (HUMAN) 01 02 04 IMMUNO (ANIMAL) 01 02 04	USE: PRODUCTION:
	0241 0242 0243 0244 0245 0246 0246 0248 0251 0299	
INFORMATION REQUESTED: FLWP DATE: 0501 NO INFO REQUESTED 0502 INFO REQUESTED (TECH) 0503 INFO REQUESTED (VOL ACTIONS) 0504 INFO REQUESTED (VOL ACTIONS) 0504 INFO REQUESTED (REPORTING RATIONALE) DISPOSITION: 0678 CAP NOTICE 0678 CAP NOTICE CASS CAS CASS C	NEORMATION TYPE: P. F.C. C216	YANS LOGICAL CONCERN: WED HIGH
Le	0216 0217 0218 0219 0221 0223 0223 0223 0228	VIEW SPER) E)
SSEO A OND DATE DI	P F C C C C C C C C C C C C C C C C C C	ONGOING REVIEW YES (DROPREFER) NO (CONTINUE) RL-1-R
CECATS DATA: Submission # 8EHQ. O 195 - 13313 SEQ. A TYPE INT. SUPP FLWP SUBMITTER NAME. CORNELLALISAL SUB. DATE: OI A5 95 OTS DATE. CHEMICAL NAME: [] ANT O LAFFOCYCLE	INFORMATION TYPE: 0201 ONCO (HUMAN) 0202 ONCO (ANIMAL) 0203 CELL TRANS (IN VITRO) 0204 MUTA (IN VITRO) 0205 MUTA (IN VITRO) 0206 MUTA (IN VITRO) 0206 REPRO/IERATO (HUMAN) 0207 REPRO/IERATO (ANIMAL) 0208 NEURO (HUMAN) 0208 NEURO (ANIMAL) 0210 ACUTE TOX. (HUMAN) 0211 CHR. TOX. (HUMAN) 0212 ACUTE TOX. (ANIMAL) 0213 SUB ACUTE TOX (ANIMAL) 0214 SUB CHRONIC TOX (ANIMAL) 0215 CHRONIC TOX (ANIMAL) 0216 CHRONIC TOX (ANIMAL) 0217 CHRONIC TOX (ANIMAL) 0218 CHRONIC TOX (ANIMAL) 0211 CHRONIC TOX (ANIMAL)	TRIAGE DATA NON-CBI INVENTORY YES CAS SR NO IN TRAINI LIMITALINI LOS CAS

Μ

ACUTE ORAL TOXICITY IN MALE MICE IS OF MEDIUM CONCERN. DOSAGES (GAVAGE), WITH ONE ANIMAL/DOSE, WERE 12 MG/KG TO 670 MG/KG. MORTALITY OCCURRED AT 670 MG/KG. TOXICITY SIGNS INCLUDED LOSS OF COORDINATION, LOW POSTURE, AND LOW CARRIAGE.